

L Number	Hits	Search Text	DB	Time stamp
1	460	330/282.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/12 16:04
2	1091	379/400,403,398,394,390.04.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/12 16:05
-	21	protoc\$4 and (impedance with (select\$4 variable)) and (afe or "analog front end")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/12 16:03
-	9	variable adj termination adj impedance	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/12 13:25
-	0	6694015.URPN.	USPAT	2004/04/08 11:22
-	8	("5088089"   "5253291"   "5267309"   "5323460"   "5500894"   "5881129"   "6195414"   "6507585").PN.	USPAT	2004/04/08 11:22
-	2	"09050708"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/12 10:56
-	11	adsl.ab. and ((variable select\$5 program\$6) with (input terminat\$5 source) with (impedance resist\$5) )	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/12 11:48
-	2943	((variable select\$5 program\$6) with (hybrid) same (impedance resist\$5) )	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/12 11:49
-	28	((((variable select\$5 program\$6) with (hybrid) same (impedance resist\$5) )) and adsl	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/12 11:49
-	15	((((variable select\$5 program\$6) with (hybrid) same (impedance resist\$5) )) and adsl) and protoc\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/12 12:01
-	5	("5239210"   "5856757"   "6005439"   "6408010"   "6454781").PN.	USPAT	2004/04/12 11:58
-	4705	adapt\$5 with hybrid	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/12 12:02
-	141	(adapt\$5 with hybrid) and \$1dsl	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/12 12:02
-	1043	adaptive with hybrid	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/12 12:02

-	46	(adaptive with hybrid) and \$lds1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/12 13:15
-	75	(select\$5 near4 (termination adj impedance))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/12 13:15
-	5	((select\$5 near4 (termination adj impedance))) and adsl	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/12 13:15
-	3	("4441068"   "5532624"   "6100717").PN.	USPAT	2004/04/12 13:22
-	0	multiple adj terminat\$5 adj impedance	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/12 13:26
-	2997	terminat\$5 adj impedance	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/12 13:26
-	208	multipl\$4 same (terminat\$5 adj impedance)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/12 13:26
-	13	(multipl\$4 same (terminat\$5 adj impedance)) and adsl	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/12 13:54
-	4	("5285169"   "5523721"   "6147558"   "6396934").PN.	USPAT	2004/04/12 13:31
-	1	adsl and ( adjust\$5 select\$5) with (source adj impedance) )	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/12 14:02
-	406	( ( adjust\$5 select\$5) with (source adj impedance) )	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/12 14:04
-	88	(( ( adjust\$5 select\$5) with (source adj impedance) )) and loop and switch\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/12 14:03
-	7	(( ( adjust\$5 select\$5) with (source adj impedance) )) and loop.ab. and switch\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/12 14:03
-	95	( ( variable adjust\$5 select\$5) with (source adj impedance) ).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/12 14:04
-	1	(( ( variable adjust\$5 select\$5) with (source adj impedance) ).ab.) and 379/\$.cc1s.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/12 14:05
-	7	("3810096"   "5349644"   "5402073"   "5465287"   "5559440"   "5869909"   "5949327").PN.	USPAT	2004/04/12 14:05

-	3	("4441068"   "5532624"   "6100717").PN.	USPAT	2004/04/12 14:22
---	---	---	-------	------------------